Application No. (9/945,469)

This listing of claims will replace all prior versions, and listings, of claims in the ap ilication:

Listing of Claims:

- (Currently Amended) A computer-readable medium having computer-1) executable components comprising: A system for permitting a seeking entity to estab ish a new business relationship with a sought entity, the system comprising:
 - a-computer including a storage for storing data and instructions and a processor for executing instructions stored in the storage; the storage containing instructions corresponding to:
 - an inquiry receiving component for receiving an inquiry from the seeking a) entity:
 - a response receiving component for receiving a response incicating an **b**) existing relationship between the sought entity and an intermediate entity; and
 - a confirming component for confirming, based on the response, that the c) new relationship may be established, the response being indicative of a trust level of the sought entity by the intermediate entity regarding the existing relationship;
 - a verification component for determining whether information can be shared between entities in accordance with rights management.
- (Currently Amended) A computer-readable medium having computer-2) executable instructions for performing steps comprising: A transitive trust network system including a plurality of interconnected entities for sharing information comprising:
 - at least one computer for storing data and instructions and a pi seessor for executing instructions stored in the storage; the storage containing astructions eerresponding to:
 - generating at least one entity trust list containing at least one characteristic of at least two of the entities, a level of trust being gauged by the at least one characteristic:
 - e) b) generating at least one transactional trust list containing a: least one parameter relative to an exchange between at least two of the entities through at least one

Application No. 19/945,469

degree of separation between the entities, the at least one parameter comprising a proxy parameter, the proxy parameter being indicative of an action that a trusted party can perform on behalf of a trusting party; and

- d) c) creating at least one receiving component that obtains information from the at least one entity trust list and the at least one transactional trust list it order to provide a framework for at least two of the entities to establish relationships be ween one another.
- 3) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 2, wherein the plurality of interconnected entities correspond to nodes on a network.
- 4) (Currently Amended) The computer-readable medium of The tran itive trust network system according to claim 3, wherein the network is a wide area network.
- 5) (Currently Amended) The computer-readable medium of The trust network system according to claim 3, wherein the network is the Internet.
- 6) (Currently Amended) The computer-readable medium of The trun itive trust network system according to claim 3, wherein the entities are business entities, and wherein the system provides a framework for the business entities to discover, validate and establish business relationships over the network.
- 7) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 2, wherein the at least two entities have capabilities of sharing information about other entities, each of the other entities being at least one of a business partner and a known contact.
- (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 2, wherein the entity trust list contains, for a respective entity, at least one of: names of known entities and identifying characteristics thereo; previous transactions between the respective entity and other entities; historical transactions I etween the respective entity and other entities; quality ratings of the historical transactions; over all rating of other entities; and map of entity relationships.

Application No. 19/945,469

- 9) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 8, wherein the map of entity relationships includes at least information that identifies entities and which other entities they know, and information about how relationships were formed between such entities.
- 10) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 2, wherein the transactional trust list has proxy trust parameters and activity trust parameters.
- (Currently Amended) The computer-readable medium of The tran itive trust network system according to claim 10, wherein the proxy trust parameters include at least: an ability of a respective entity to forward requests to other trusted entities; ability to add new entities as trusted entities; ability to communicate opinions about a predetermined entity to other entities; and ability to dynamically create proxy parameters that are specified by any two cooperating entities.
- 12) (Currently Amended) The computer-readable medium of The tran itive trust network system according to claim 10, wherein activity trust parameters include at k ast one of: types of transactions a respective entity can handle; activity trust levels; and past activity with a predetermined entity.
- 13) (Currently Amended) A computer-readable medium having computerexecutable instructions for performing steps comprising: A transitive trust network system including a plurality of interconnected entities for sharing information, comprising:
 - a) at least one-computer including a storage for storing-data and natructions and a processor for executing instructions stored in the storage; the storage containing instructions corresponding to:
 - b) a) generating an entity trust list containing at least one characteristic of at least two of the entities, a level of trust being gauged by the at least one characteristic;
 - e) b) generating a transactional trust list containing at least one parameter relative to an exchange between at least two of the entities through at least or e degree of separation between the entities, the at least one parameter comprising a proxy parameter,

Application No.)9/945,469

the proxy parameter being indicative of an action that a trusted party can perform on behalf of a trusting party;

- d) c) generating a capability domain and activity trust level data base for each of the at least two entities, the data base having a plurality of levels of t ust and a plurality of entity roles, the capability domain and activity trust data base co nprising a plurality of entries, each entry being indexed by an entity role and a level of rust, each said entry being indicative of a corresponding business process; and
- e) d) creating at least one receiving component that obtains information from the entity trust list and the transactional trust list in order to provide a framework for at least two of the entities to establish relationships between one another.
- 14) (Currently Amended) The computer-readable medium of The tran itive trust network system according to claim 13, wherein each respective role in the plurality of roles defines a respective function that one entity fulfills to another entity.
- 15) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 13, wherein each respective level of trust in the plurality of levels of trust defines a respective degree of trust between one entity and another entit.
- 16) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 13, wherein a respective business process of a plurality of business processes is associated with each combination of a respective role of the plurality of roles and a respective trust level of the plurality of trust levels.
- 17) (Currently Amended) A computer-readable medium having computerexecutable instructions for performing steps comprising: A transitive trust-network system
 including a plurality of interconnected entities for sharing information, comprising: it least one
 computer-including a storage for storing data and instructions and a processor for executing
 instructions stored in the storage; the storage containing instructions corresponding to
 - a) configuring a capability domain and activity trust level data be se for each of the at least two entities, the database having a plurality of levels of trust and a plurality of entity roles, the capability domain and activity trust level data base comprising a

Application No. 09/945,469

plurality of entries, each entry being indexed by an entity role and a level of trust, each said entry being indicative of a corresponding business process; and

- b) creating at least one receiving component that obtains information from an entity trust list and a transactional trust list in order to provide a framework for at least two of the entities to establish relationships between one another.
- 18) (Currently Amended) The computer-readable medium of The tran itive trust network system-according to claim 17, wherein each respective level of trust in the claim levels of trust defines a respective degree of trust between one entity and another entit.
- 19) (Currently Amended) The computer-readable medium of The transitive trust network system according to claim 17, wherein each respective role in the plurality of roles defines a respective function that one entity fulfills to another entity.
- 20) (Currently Amended) The computer-readable medium of The true sitive trust network system according to claim 17, wherein a respective business process of a plurality of business processes is associated with each combination of a respective role of the plurality of roles and a respective trust level of the plurality of trust levels.
- (Currently Amended) A method, in a computer system, of establishing a new business relationship with a sought entity over a network, wherein all steps are performed on the computer system, the method comprising the steps of:
 - a) sending, by a first computer to a second computer, an incuiry to an intermediate entity to determine if the intermediate entity has an existing elationship with the sought entity;
 - b) receiving, by the first computer, a response from the intermediate entity indicating an existing relationship between the sought entity and the intermediate entity; and
 - c) establishing the new business relationship with the sought entity based on the response, the response being indicative of a trust level of the sought entity by the intermediate entity and of a corresponding valuation criterion, the trust level being dependent on the corresponding valuation criterion.

Application No. 09/945,469

- 22) (Original) The method of claim 21, further comprising specifying an acceptable degree of separation and determining whether the existing relationship exists within the specified degree of separation.
- 23) (Currently Amended) A method, in a computer system, of establishing a relationship with an unknown company, wherein all steps are performed on the computer system, the method comprising the steps of:
 - a) querying, by a first computer to a second computer, at least one trusted company to determine the existence of a relationship between the at least one trusted company and the unknown company;
 - b) receiving, by the first computer, a confirmation of a relationship between the at least one trusted company, the confirmation being indicative of a trust evel of the unknown company by one of the at least one trusted company and a corresponding at least one valuation criterion, the trust level of the unknown company being dependent on the corresponding at least one valuation criterion; and
 - c) establishing a relationship with the unknown company in response to receiving the confirmation.
- 24) (Currently Amended) A method, in a computer system, of stablishing relationships between at least two entities, wherein all steps are performed on the computer system, the method comprising the steps of:
 - a) receiving, by an associated computer, at a second entity a contact identifying a first entity;
 - b) checking a list of trusted entities by the second entity to determine if the first entity is a trusted entity;
 - c) querying, another computer by the associated computer, it the first entity is not a trusted entity and if a proxy parameter is indicative that trusted entities are permitted to forward requests to other trusted parties, the trusted entities and predetermined degree of separation; and
 - d) establishing a relationship between the first and second entities when the first entity is known by at least one respective entity of the trusted entities, the

Application No. 09/945,469

relationship being based on information from one of the trusted ertities, the information being indicative of a trust level about the first entity.

- 25) (Currently Amended) The method according to claim 24, wherein the method further comprises comprising:
 - e) providing a capability domain and activity trust level data base for each of entities, the database having a plurality of levels of trust and a plurality of entit / roles.
- 26) (Currently Amended) The method according to claim 25, wher in further comprising:
 - f) supporting each respective role in the plurality of roles to correspond to defines a respective function that one entity fulfills to another entity.
- 27) (Currently Amended) The method according to claim 25, wher in further comprising:
 - <u>f)</u> <u>supporting</u> each respective level of trust in the plurality of level; of trust <u>to</u> <u>correspond to defines</u> a respective degree of trust between one entity and another entity.
- 28) (Currently Amended) The method according to claim 25, wher sin further comprising:
 - <u>f)</u> supporting a respective business process of a plurality of business processes that is associated with each combination of a respective role of the plurality of roles and a respective trust level of the plurality of trust levels.
- 29) (Currently Amended) The method according to claim 24, wherein the method further comprises comprising:
 - e) providing a capability domain and activity trust level database for each of entities, the matrix having a plurality of levels of trust and a plurality of entity roles.
- 30) (Currently Amended) A method in a transitive trust network for providing a framework for at least two entities to establish relationships between one another, the transitive trust network including at least one computer, wherein all steps are performed on the at least one computer, the method comprising the steps of:

Application No. 09/945,469

- a) receiving, by an associated computer, at a second entity a contact identifying a first entity;
- b) checking a list of trusted entities, associated with the second entity, by the second entity to determine if the first entity is a trusted entity;
- querying, another computer by the associated computer, if the first entity is not a trusted entity and if a proxy parameter is indicative that trusted entities are permitted to forward requests to other trusted parties, by the second entity at least a third entity of the trusted entities associated with the second entity, and specifying a predetermined degree of separation;
- d) checking a list of trusted entities, associated with the third entity, by the third entity to determine if the first entity is a trusted entity;
- e) continuing querying and checking, if the first entity is not a trusted entity, until a maximum separation of the degree of separation is reached or until the first entity is known to a respective trusted entity; and
- f) establishing a relationship between the first and second entities when the first entity is known by at least one respective entity of the trusted entities, the relationship being based on information from one of the least one respective entity, the information being indicative of a level of trust about the first entity.
- 31) (Currently Amended) The method according to claim 30, wherein he method further comprises comprising:
 - g) providing a capability domain and activity trust level data base for each of the entities, the data base having a plurality of levels of trust and a plurality of entity roles.
- 32) (Currently Amended) The method according to claim 31, wherein further comprising:
 - h) supporting each respective role in the plurality of roles to co respond to defines a respective function that one entity fulfills to another entity.
- 33) (Currently Amended) The method according to claim 31, whe ein further comprising:

Application No. 09/945,469

- <u>h)</u> supporting each respective level of trust in the plurality of level of trust to correspond to defines a respective degree of trust between one entity and anoth a entity.
- 34) (Currently Amended) The method according to claim 31, wher in further comprising:
 - <u>h)</u> supporting a respective business process of a plurality of business processes that is associated with each combination of a respective role of the plurality of roles and a respective trust level of the plurality of trust levels.
- 35) (Currently Amended) A method in a transitive trust network for providing a framework for Companies to establish relationships between one another, the transitive trust network including at least one computer wherein all steps are performed on the st least one computer, the method comprising the steps of:
 - a) contacting, between a first computer and a second computer, a first company by a second company regarding a potential relationship;
 - b) checking, by the first company, a trusted user list thereof and a termining if the second company is known to the first company;
 - c) querying, by the first company when the second company is unknown, companies that are trusted users thereof to determine who is available for peer requests;
 - d) notifying, by a third company, the first company that the third company is an active peer;
 - e) verifying, by the third company, a rights management model that exists between the third company and the first company;
 - f) querying, by the first company, the third company to deter nine if the second company is known to the third company, specifying a maximum of a predetermined number of degrees of separation;
 - g) querying, by the third company when the second company i unknown, companies that are trusted users thereof to determine who is available for peer requests;
 - h) forwarding, by the third company, based on a respective 1 st of peers thereof and a trust agreement between the first company and the third com; any, a "Do You Know" query to further Companies on behalf of the first company, veri lying rights management models between all peers;

Application No. 19/945,469

- i) verifying by the further Companies the rights management model and determining if any of the further Companies know the second company;
- j) querying, by a respective company of the further Companies when the respective company knows the second company, the second company to deter nine if the second company is active for peer requests;
- k) responding by the respective company to the third company with an affirmative on knowing the second company, in response to the "Do You Knov" query;
- notifying, by the third company, the first company that the thir I company
 knows the second company through the predetermined number of degrees of separation,
 and passing transitive trust rights to the first company;
- m) establishing, by the first company, contact with the respectiv; company through the trust passed by the third company;
- n) querying, by the first company, the further company for an "c pinion" on the second company, the further company providing feedback based on rights rules; and
- o) establishing, by the first company, a relationship with the secon I company based on the feedback from the further company.
- 36) (Previously Presented) A computer-readable medium for use in a tran itive trust network for providing a framework for at least two of the entities to establish relationships between one another, the computer-readable medium having computer-executable ins ructions for performing the steps comprising:
 - a) receiving at a second entity a contact identifying a first entity;
 - b) checking a list of trusted entities by the second entity to determine if the first entity is a trusted entity;
 - c) querying, if the first entity is not a trusted entity and if a proximparameter is indicative that trusted entities are permitted to forward requests to other trusted parties, the trusted entities and specifying a predetermined degree of separation; and
 - d) establishing a relationship between the first and second en ities when the first entity is known by at least one respective entity of the trusted intities, the relationship being based on information from one of the at least one respective entity, the information being indicative of a level of trust about the first entity.

Application No. 19/945,469

- 37) (Previously Presented) A computer-readable medium having stored thereon a data structure comprising:
 - a) a capability domain having a plurality of entity roles within a predetermined degree of separation; and
 - b) an activity trust domain having a plurality of levels of trust;
 - c) a respective business process of a plurality of business processes being associated with each combination of a respective role of the plurality of roles and a respective trust level of the plurality of trust levels, wherein the data structure is indexed by the capability domain and the activity trust domain to obtain a corresponding business process.
- 38) (Original) The computer-readable medium having stored thereon a da a structure according to claim 37, wherein each respective role in the plurality of roles defines a respective function that one entity fulfills to another entity.
- 39) (Original) The computer-readable medium having stored thereon a da a structure according to claim 37, wherein each respective level of trust in the plurality of levels of trust defines a respective degree of trust between one entity and another entity.
- 40) (Previously Presented) The transitive trust network system of claim 13, wherein the corresponding business process is selected from a group consisting of a design process, a source process, a plan process, a buy process, a make process, a sell process, a fulfill process, and a service process.
- 41) (Previously Presented) The transitive trust network system of claim 3, wherein the entity trust list includes an overall trust score between two entities, the overall trust score being determined from an associated plurality of entries of the capability domain; and activity trust level data base.
 - 42) (Currently Amended) The method of claim 24, wherein further comp ising:
 - e) associating each of the trusted entities is associated with ar associated trust level that is more trusted than a predetermined minimum trust level. ; and
 - <u>f)</u> establishing wherein the predetermined minimum trust level is established by an associated proxy parameter.

Application No. 19/945,469

- (Currently Amended) The method of claim 30, wherein further compr sing:
- g) associating the third entity is associated with an associated trus level that is more trusted than a predetermined minimum trust level; and
- h) establishing wherein the predetermined minimum trust level is stablished by an associated proxy parameter.
- 44) (Currently Amended) A computer-readable medium having computerexecutable instructions for performing steps comprising: A selected entity the supports
 establishing a new business relationship with another interconnected entity in a tran sitive trust
 network, the selected entity comprising:
 - a computer including a storage for storing data and instructions and a processor for executing instructions stored in the storage; the storage containing instructions corresponding to:

creating a trust component that stores a trust level for each directly interconnected entity and at least one corresponding valuation criterion for determining the trust level and that obtains an associated trust level of a sought entity through an interconnected intermediate entity if the sought entity is not directly interconnected to the selected entity, the trust component comprising:

an entity trust portion that includes a first data structure, the first data structure storing a distinguishing characteristic of each said directly interconnected entity, a degree of trust being indicative of the distinguishing characteristic; and

- a transactional trust portion that includes a second data structure, the second data structure including a plurality of transactional parameters, the plurality of transactional parameters being indicative of criteria for cor ducting the new business relationship, the plurality of transactional parameters cor prising:
 - a proxy parameter that is indicative of an activity, he activity being performed by a trusted party on behalf of a trusting party and
 - a plurality of activity-trust parameters being indexed by an activity trust domain and a capability domain, the activity trust do nain being indicative of an activity trust level, the capability domain being indicative

Application No. 19/945,469

of an activity process level, each activity-trust parameter being indicative of an associated business process; and

creating a transactional component that provides peer-to-peer cap bility for sharing information with the other interconnected entity, the transactional component utilizing information from the trust component.